L	Hits	Search Text	DB	Time stamp
Number -	50	(network\$4 internet web) and ((select\$6	USPAT;	2003/01/28
		pick\$4 click\$4) same (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7) same ((user client member) near7 (profil\$4 propert\$6	EPO; JPO; DERWENT; IBM_TDB	15:13
_	47	attribut\$4))) and (wildcard\$4 wild\$6) (server near11 (cookie ((internet\$4 web site) near2 (fil\$4 information data))) near11 (sav\$4 stor\$4)) same (ad	USPAT; EPO; JPO; DERWENT;	2003/01/31 10:12
-	61	advertis\$4) ((web site internet html java) near6 (program\$5 application)) and (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7) near7 ((user computer client member) near7 (profil\$4 propert\$6 attribut\$4)) and (program\$5 near9 (link\$4 hyperlink\$4	IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 08:48
-	129	hyper-link\$4 hyper\$7)) ((web site internet html java) near6 (program\$5 application)) and (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7) near7 ((user client member) near7 (profil\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 16:08
-	23	propert\$6 attribut\$4)) ((web site internet html java) near6 (program\$5 application)) and (select\$6 pick\$4 click\$4) near8 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7) near11 ((user client member) near7 (profil\$4 propert\$6	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 16:43
-	137	attribut\$4)) ((web site internet html java) same (program\$5 application)) and (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7) same ((user computer client member) near7 (profil\$4 propert\$6 attribut\$4)) and ((link\$4 hyperlink\$4 hyper-link\$4 hyper\$7	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 16:42
_	121	web site internet html java) near5 tag\$4) ((web site internet html java) near11 (program\$5 application)) and (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7) same ((user computer client member) near7 (profil\$4 propert\$6 attribut\$4)) and ((link\$4 hyperlink\$4 hyper-link\$4 hyper\$7	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 16:04
-	85	web site internet html java) near5 tag\$4) ((web site internet html java) near11 (program\$5 application)) and (((web site internet html java link\$4 hyperlink\$4 hyper-link\$4 hyper\$7) near5 tag\$4) same ((user computer client member) near7	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 14:57
-	5	<pre>(profil\$4 propert\$6 attribut\$4))) (((web site internet html java) same (program\$5 application)) and (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7) same ((user computer client member) near7 (profil\$4 propert\$6 attribut\$4)) and ((link\$4 hyperlink\$4 hyper-link\$4 hyper\$7 web site internet html java) near5 tag\$4)) and mandator\$4 and (choos\$4</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/30
_	5	select\$5 pick\$4 click\$4) (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7) near11 ((user computer client member) near7 (profil\$4 propert\$6 attribut\$4)) and ((link\$4 hyperlink\$4 hyper-link\$4 hyper\$7 web site internet html java)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 16:13
-	71	near5 tag\$4) and (wild\$7) (select\$6 pick\$4 click\$4) same (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7) same ((user client member) near7 (profil\$4 propert\$6 attribut\$4)) and (wildcard\$4 wild\$6)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 16:35

_	32	((prompt\$6 queu\$5) near5 (user member client computer) near9 (profil\$4	USPAT; EPO; JPO;	2003/01/30 16:35
		propert\$6 attribut\$4)) and (wildcard wild\$4)	DERWENT; IBM_TDB	
-	50	hyperlink\$4 hyper-link\$4 hyper\$7) same	USPĀT; EPO; JPO;	2003/01/30 16:26
		((user client member) near7 (profil\$4 propert\$6 attribut\$4)) and (wildcard\$4	DERWENT; IBM TDB	
_	24	wild\$6)	USPAT;	2003/01/30
		hyperlink\$4 hyper-link\$4 hyper\$7) same ((user client member) near7 (profil\$4	EPO; JPO; DERWENT;	16:39
	'	<pre>propert\$6 attribut\$4)) and ((prompt\$6 que\$5) near5 (user member client</pre>	IBM_TDB	
_	197	computer)) and (wildcard\$4 wild\$6) (select\$6 pick\$4 click\$4) same (link\$4	USPAT;	2003/01/30
		hyperlink\$4 hyper-link\$4 hyper\$7) and ((user client member) near7 (profil\$4	EPO; JPO; DERWENT;	17:26
		propert\$6 attribut\$4)) and ((prompt\$6 que\$5) near5 (user member client	IBM_TDB	
		computer) near8 (transmi\$7 transfer\$4 send\$4 forward\$4)) not ((select\$6 pick\$4		
		click\$4) same (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7) same ((user client		
		member) near7 (profil\$4 propert\$6		
		attribut\$4)) and ((prompt\$6 que\$5) near5 (user member client computer) near8		
_	5	(transmi\$7 transfer\$4 send\$4 forward\$4))) ((prompt\$6 que\$5) adj3 (user member	USPAT;	2003/01/31
		client computer) adj6 (transmi\$7 transfer\$4 send\$4 forward\$4) near11	EPO; JPO; DERWENT;	13:25
_	16	, , , , , , , , , , , , , , , , , , , ,	IBM_TDB USPAT;	2003/01/30
		site) near2 (fil\$4 information data))) near11 (sav\$4 stor\$4)) same (ad	EPO; JPO; DERWENT;	18:04
		advertis\$4) and (((user member client computer) near9 (profil\$4 propert\$6	IBM_TDB	
_	4	attribut\$4)) permission\$4) ((web site internet html java) same	USPAT;	2003/01/31
		(program\$5 application)) and (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7) same	EPO; JPO; DERWENT;	10:10
		((prompt\$4 que\$4 permi\$6) near11 (user computer client member) near7 (profil\$4	IBM_TDB	
		propert\$6 attribut\$4)) and (wildcard wild wild-card)		
-	6	((prompt\$6 que\$5) adj3 (user member client computer) adj6 (profil\$4 propert\$6	USPAT; EPO; JPO;	2003/01/31 10:21
		attribut\$4)) and ((server near11 (cookie ((internet\$4 web site) near2 (fil\$4	DERWENT; IBM TDB	
		information data)) near11 (sav\$4 stor\$4))) and (prompt\$6 profil\$4)		
-	9	(web internet html java) and (select\$6 pick\$4 click\$4) near11 (link\$4	USPAT; EPO; JPO;	2003/01/31
		hyperlink\$4 hyper-link\$4 hyper\$7) same ((user client member) near7 (profil\$4	DERWENT; IBM TDB	
		propert\$6 attribut\$4)) and (wildcard\$4 wild-card (wild adj card))	12.1_100	
_	25		USPAT	2003/07/25
		hyperlink\$4 hyper-link\$4 hyper\$7) same		10.50
		((user client member) near7 (profil\$4 propert\$6 attribut\$4)) and (wildcard\$4		
		wild\$6)) and ((mac harware address version port location) same (element		
	L	propert\$4 profil\$4 parameter))	L	

_				
_	10	<pre>(((web internet html java) and (select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7) same ((user client member) near7 (profil\$4</pre>	USPAT; EPO; JPO; DERWENT; IBM TDB	2003/07/25 11:35
		propert\$6 attribut\$4)) and (wildcard\$4 wild\$6)) and ((mac harware address version port location) same (element propert\$4 profil\$4 parameter))) not (435/\$ 436/\$).ccls.	_	
-	9	<pre>(web page site www internet) and ((link\$4 hyper-text hypertext) near5 element\$4 near11 (client user member computer subscriber) near4 (parameter propert\$6 identi\$7 profil\$4)) and ((hardware mac location storag\$4) near4 (parameter</pre>	USPAT	2003/07/25
-	56	propert\$6 identi\$7 profil\$4)) (web site internet html java) and (select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7) same ((user client member) near7 (profil\$4 propert\$6 attribut\$4)) and (wildcard\$4 wild\$6)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/25 11:35
-	13		USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/25 12:49
-	126		USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/25 12:55
_	48		USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/25 13:47
-	51	((select\$6 pick\$4 click\$4) near5 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7 web site internet html java)) and ((detect\$6) near4 (storag\$4 cache hardware mac system) near5 (profil\$4 propert\$6 attribut\$4 information parameter)) and (request\$4 near6 (user member client subscriber system cache hardware) near7 (attribut\$6 storag\$4 parameter information profil\$4 propert\$7	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/25
-	155	<pre>((select\$6 pick\$4 click\$4) near5 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7 web site internet html java)) and ((detect\$6) near4 (hardware mac system) near5 (profil\$4 propert\$6 attribut\$4</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 12:41
-	3	parameter)) ((web site internet html java) and ((select\$6 pick\$4 click\$4) near5 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7 web site internet html java)) and ((detect\$6) near4 (hardware mac system) near5 (profil\$4 propert\$6 attribut\$4 parameter))) and (request\$5 same less\$4 same (propert\$5 parameter\$4 information data))	USPAT	2003/12/10 15:51

-	124	<pre>(request\$4 with (client computer user system) with (propert\$4 parameter\$4 information data) with (link\$4 hyper\$6)) and (request\$5 with less\$4 with</pre>	USPAT	2003/12/10 15:56
_	22	(propert\$5 parameter\$4 information data)) (request\$4 with (client computer user system) with (propert\$4 parameter\$4	USPAT	2003/12/10 15:56
_	5	<pre>information data) with (link\$4 hyper\$6) with less\$4 )  ((request\$4 with (client computer user</pre>	USPAT;	2003/12/10
		system) with (propert\$4 parameter\$4 information data) with (link\$4 hyper\$6)) and (request\$5 with less\$4 with (propert\$5 parameter\$4 information data))) and ((web site internet html java) same (program\$5 application)) and (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7) same ((user computer client member) near7 (profil\$4 propert\$6 attribut\$4)) and ((link\$4 hyperlink\$4 hyper-link\$4 hyper\$7	EPO; JPO; DERWENT; IBM_TDB	17:04
_	260	web site internet html java) near5 tag\$4) (server with request\$5 with (user client member subscriber computer system) with (parameter propert\$5 information data)) same (availabl\$4 with (user client member subscriber computer system) with (parameter propert\$5 information data)) and (select\$6 pick\$4 click\$4) same (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 17:09
-	14	(server with request\$5 with (user client member subscriber computer system) with (parameter propert\$5 information data)) same (availabl\$4 with (user client member subscriber computer system) with (parameter propert\$5 information data)) same (select\$6 pick\$4 click\$4) same	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 17:43
-	831	(link\$4 hyperlink\$4 hyper-link\$4 hyper\$7) ((site page server) with request\$5 with (user client member subscriber computer system) with (parameter propert\$5 profil\$4)) and (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 17:50
-	152	<pre>((site page server) with request\$5 with (user client member subscriber computer system) with (parameter propert\$5 profil\$4)) same (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 17:55
-	12	I ==	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 18:08
-	159		USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/12/11
-	42	<pre>((web site internet html java) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter)) ) and (less with (profil\$4</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 09:18
L	ļ	propert\$6 attribut\$4 parameter))	1	I

-	20	((web site internet html java) and	USPAT;	2003/12/11
		((select\$6 pick\$4 click\$4) near11 (link\$4	EPO; JPO;	09:13
		hyperlink\$4 hyper-link\$4 hyper\$7)) and	DERWENT;	
		((detect\$6) near4 (hardware mac system)	IBM_TDB	
		near11 (profil\$4 propert\$6 attribut\$4	_	
		parameter))) and (less with (profil\$4		
		propert\$6 attribut\$4 parameter)		